



2300 W 3 Weg

PROTON-18NEO

Order No.: 0250050

Price upon request

PRODUCTINFOS

The PROTON Systems

from IMG STAGELINE set the limit which can be achieved regarding mobility, power capability and sound. The active 3-channel systems are equipped with high-performance speakers which allow highest volume levels at an absolutely professional level in cabinets as small as possible. The special highlight: the subwoofer serves as a case for the satellite speakers and cables during transport.

Compact professional active PA system, 2,300 W

- Subwoofer/satellite system with integrated 3-channel amplifier
- Lightweight due to the application of neodymium speakers and class D amplifier
- High-quality cabinets made of birch plywood (multiplex)
- Durable two-component PU coating
- High-performance bass-reflex subwoofer system with 46 cm (18", Faital) bass speaker
- 25 cm (10", Faital) midrange speaker providing a powerful sound and 25 mm (1") CD horn tweeter, constant directivity
- Adjustable volume balance between subwoofer and satellites
- Balanced (comb. XLR) and unbalanced (RCA) inputs and parallel outputs
- Limiter



- Stereo/mono selection, surround effect circuit
- Satellites can be stored in the subwoofer cabinet
- Supplied with speaker cables with NEUTRIK SPEAKON plugs (2 x 10 m)
- Stand sleeve in the satellites
- Subwoofer with M20 mounting plate (recommended distance tube: KM-21367, available at option)
- 75 mm castors with brakes
- Protective cover
- Total weight: 57 kg only

Supplied w/o stands.

tools4music 03/2015

"The PROTON-18NEO is a thoroughly impressive system. It provides a clear bass reproduction and an overall well-tuned sound. A space-saving system with a high power capability."

tastenwelt 06/2014

"With the PROTON-18NEO, IMG Stage Line is able to offer another multi-purpose active PA system. It is a suitable tool for applications on stage, e.g. for entertainers, DJs, duos and smaller bands. It features a top workmanship, high power capability and a sophisticated transport concept."

TECHNICAL SPECIFICATIONS

PROTON-18NEO

Input signal

Active/passive active
Transmission method cable
Total output power 2,300 W

800 W (SUB),

Power rating (RMS) 2 x 250 W (SAT)

Frequency range 30-20,000 Hz

S/N ratio > 80 dB

260 mV-7 V (line), 280 mV-7 V (line)

System compact active PA system

Bass speaker 1 x 46 cm (18", Faital) bass speaker

Midrange speaker 2 x 25 cm (10", Faital) midrange speaker

Tweeter 2 x 25 mm (1") horn tweeter

Number of speakers



PROTON-18NEO

Speaker size 46 cm (18") Max. rated SPL 128 dB

Housing material birch plywood

Colour black
Admiss. ambient temp. 0-40 °C

Power supply ~ 230 V/50 Hz/2,750 VA

279 x 465 x 229 mm (satellite),

Dimensions 516 x 642 x 718 mm (subwoofer)

8 kg (satellite),

Weight 41 kg (subwoofer),

57 kg (system)

2 x comb. XLR/6.3 mm (line),

Inputs 1 x RCA L/R (Line)

2 x XLR (bal.),

Outputs $1 \times RCA L/R \text{ (unbal.)},$

 $2 \times NEUTRIK SPEAKON, 8 \Omega$